













Pos	SPECIFICATION-STÜCKLISTE-NOMENCLATURE-ELEMENTI-ESPECIFICACIÓN AM44-2416	Pcs	Profile (mm)	Length (mm)
Det1	 Detail- Detail- Detail- Dettaglio- Detalle	2	44x120	1600
Det2	 Detail- Detail- Detail- Dettaglio- Detalle	4	44x120	831
Det3	 Detail- Detail- Detail- Dettaglio- Detalle	2	42x58	735
Det4	 Detail- Detail- Detail- Dettaglio- Detalle	2	76x365	2390
Det5	 Detail- Detail- Detail- Dettaglio- Detalle	1	76x755	2390
Fim	-Fixing kit- Befestigungsset- Moyens de fixation- Materiale di fissaggio- Kit de fijación	1	USE	
QKRKK8x70Zn	Bolt -Schloss-schraube -Boulon- Bullone- Perno- 8x70mm KSKR		4	Det3+Det5 Det3+Det1
QPOYP8x100Zn	Bolt -Schloss-schraube -Boulon- Bullone- Perno- M8x100mm PUP0		20	Det1+Det2 Det1+Det4
QMU KY8Zn-1	Nut- Schraubenmutter- Écrou- Dado- Tuerca- M8mm- QMU KY8Zn-1		20	
QSE8x16Zn	Washer- Dichtscheibe- Joint- Rondella- Arandela- 8x16mm DIN125		12	
QSE8x28Zn	Washer- Dichtscheibe- Joint- Rondella- Arandela- 8x28mm DIN440		40	